

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1986		1987		1988		1989		1990	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
E型	SK-80E-DF	1986	2001	20.9	18,000	86.5	2.50	灯油	99-265	30-80	82.1	2.63	82.3	2.63	82.5	2.62	82.7	2.61	82.9	2.61
	SK-120E-DF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	84.1	4.00	84.3	3.99	84.5	3.98	84.7	3.97	84.9	3.96
	SK-120E-UF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	84.1	4.00	84.3	3.99	84.5	3.98	84.7	3.97	84.9	3.96
	SK-150E-DF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	84.1	5.15	84.3	5.14	84.5	5.13	84.7	5.11	84.9	5.10
	SK-150E-UF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	84.1	5.15	84.3	5.14	84.5	5.13	84.7	5.11	84.9	5.10
	SK-200E-DF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	83.6	6.82	83.8	6.80	84.0	6.79	84.2	6.77	84.4	6.75
	SK-200E-UF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	83.6	6.82	83.8	6.80	84.0	6.79	84.2	6.77	84.4	6.75
	SK-300E-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	85.6	9.99	85.8	9.96	86.0	9.94	86.2	9.92	86.4	9.90
	SK-300E-UF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	85.6	9.99	85.8	9.96	86.0	9.94	86.2	9.92	86.4	9.90
	SK-300ET-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	85.6	9.99	85.8	9.96	86.0	9.94	86.2	9.92	86.4	9.90
	SK-400E-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	85.6	11.59	85.8	11.56	86.0	11.53	86.2	11.51	86.4	11.48
	SK-400E-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	85.6	11.59	85.8	11.56	86.0	11.53	86.2	11.51	86.4	11.48
	SK-400ET-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	85.6	11.59	85.8	11.56	86.0	11.53	86.2	11.51	86.4	11.48
	SK-500E-DF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	85.6	16.65	85.8	16.61	86.0	16.57	86.2	16.53	86.4	16.49
	SK-500E-UF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	85.6	16.65	85.8	16.61	86.0	16.57	86.2	16.53	86.4	16.49
	SK-600E-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	85.6	19.98	85.8	19.93	86.0	19.88	86.2	19.84	86.4	19.79
SK-600E-UF	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	85.6	19.98	85.8	19.93	86.0	19.88	86.2	19.84	86.4	19.79			

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1991		1992		1993		1994		1995	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
E型	SK-80E-DF	1986	2001	20.9	18,000	86.5	2.50	灯油	99-265	30-80	83.1	2.60	83.3	2.60	83.5	2.59	83.7	2.58	83.9	2.58
	SK-120E-DF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	85.1	3.95	85.3	3.95	85.5	3.94	85.7	3.93	85.9	3.92
	SK-120E-UF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	85.1	3.95	85.3	3.95	85.5	3.94	85.7	3.93	85.9	3.92
	SK-150E-DF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	85.1	5.09	85.3	5.08	85.5	5.07	85.7	5.05	85.9	5.04
	SK-150E-UF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	85.1	5.09	85.3	5.08	85.5	5.07	85.7	5.05	85.9	5.04
	SK-200E-DF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	84.6	6.74	84.8	6.72	85.0	6.71	85.2	6.69	85.4	6.67
	SK-200E-UF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	84.6	6.74	84.8	6.72	85.0	6.71	85.2	6.69	85.4	6.67
	SK-300E-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	86.6	9.87	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78
	SK-300E-UF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	86.6	9.87	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78
	SK-300ET-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	86.6	9.87	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78
	SK-400E-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.6	11.45	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35
	SK-400E-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.6	11.45	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35
	SK-400ET-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.6	11.45	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35
	SK-500E-DF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	86.6	16.45	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30
	SK-500E-UF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	86.6	16.45	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30
	SK-600E-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.6	19.75	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57
SK-600E-UF	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.6	19.75	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57			

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1996		1997		1998		1999		2000	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
E型	SK-80E-DF	1986	2001	20.9	18,000	86.5	2.50	灯油	99-265	30-80	84.1	2.57	84.3	2.57	84.5	2.56	84.7	2.55	84.9	2.55
	SK-120E-DF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	86.1	3.91	86.3	3.90	86.5	3.89	86.7	3.88	86.9	3.87
	SK-120E-UF			32.6	28,000	88.5	3.80	灯油	265-395	80-120	86.1	3.91	86.3	3.90	86.5	3.89	86.7	3.88	86.9	3.87
	SK-150E-DF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	86.1	5.03	86.3	5.02	86.5	5.01	86.7	5.00	86.9	4.99
	SK-150E-UF			44.2	38,000	88.5	4.90	A重油	395-495	120-150	86.1	5.03	86.3	5.02	86.5	5.01	86.7	5.00	86.9	4.99
	SK-200E-DF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	85.6	6.66	85.8	6.64	86.0	6.63	86.2	6.61	86.4	6.60
	SK-200E-UF			58.1	50,000	88.0	6.50	A重油	495-660	150-200	85.6	6.66	85.8	6.64	86.0	6.63	86.2	6.61	86.4	6.60
	SK-300E-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	87.6	9.76	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67
	SK-300E-UF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	87.6	9.76	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67
	SK-300ET-DF			87.2	75,000	90.0	9.60	A重油	660-990	200-300	87.6	9.76	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67
	SK-400E-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.6	11.32	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22
	SK-400E-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.6	11.32	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22
	SK-400ET-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.6	11.32	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22
	SK-500E-DF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	87.6	16.27	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12
	SK-500E-UF			145.3	125,000	90.0	15.90	A重油	1,320-1,650	400-500	87.6	16.27	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12
	SK-600E-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.6	19.52	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34
SK-600E-UF	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.6	19.52	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34			



シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1992		1993		1994		1995		1996	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
F型	SK-110FA-DF	1992	2001	27.9	24,000	90.0	3.20	灯油	165-330	50-100	86.8	3.32	87.0	3.32	87.2	3.31	87.4	3.30	87.6	3.29
	SK-110FA-UF			27.9	24,000	90.0	3.20	灯油	165-330	50-100	86.8	3.32	87.0	3.32	87.2	3.31	87.4	3.30	87.6	3.29
	SK-150FA-DF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	86.8	4.99	87.0	4.98	87.2	4.97	87.4	4.96	87.6	4.95
	SK-150FA-UF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	86.8	4.99	87.0	4.98	87.2	4.97	87.4	4.96	87.6	4.95
	SK-150FM-DF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	86.8	4.99	87.0	4.98	87.2	4.97	87.4	4.96	87.6	4.95
	SK-150FM-UF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	86.8	4.99	87.0	4.98	87.2	4.97	87.4	4.96	87.6	4.95
	SK-200FA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FNA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FNA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FNM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-200FNM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	86.8	6.57	87.0	6.55	87.2	6.54	87.4	6.52	87.6	6.51
	SK-300FA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FM-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FTA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FTM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FNA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FNA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FNM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
	SK-300FTNA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76
SK-300FTNM-DF	87.2	75,000	90.0	9.50	A重油	660-990	200-300	86.8	9.85	87.0	9.83	87.2	9.80	87.4	9.78	87.6	9.76			

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1992		1993		1994		1995		1996	
						(%)	(l/h)	(%)			(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)			
F型	SK-400FA-UF	1992	2001	101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FM-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FTA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FTM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FNA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FNA-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FNM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FTNA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-400FTNM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	86.8	11.43	87.0	11.40	87.2	11.37	87.4	11.35	87.6	11.32
	SK-500FA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FNA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FNA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FNM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-500FNM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	86.8	16.42	87.0	16.38	87.2	16.34	87.4	16.30	87.6	16.27
	SK-600FA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FM-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FNA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FNA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
	SK-600FNM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52
SK-600FNM-UF	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	86.8	19.70	87.0	19.66	87.2	19.61	87.4	19.57	87.6	19.52			

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1997		1998		1999		2000		2001	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
F型	SK-110FA-DF	1992	2001	27.9	24,000	90.0	3.20	灯油	165-330	50-100	87.8	3.29	88.0	3.28	88.2	3.27	88.4	3.26	88.6	3.26
	SK-110FA-UF			27.9	24,000	90.0	3.20	灯油	165-330	50-100	87.8	3.29	88.0	3.28	88.2	3.27	88.4	3.26	88.6	3.26
	SK-150FA-DF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	87.8	4.93	88.0	4.92	88.2	4.91	88.4	4.90	88.6	4.89
	SK-150FA-UF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	87.8	4.93	88.0	4.92	88.2	4.91	88.4	4.90	88.6	4.89
	SK-150FM-DF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	87.8	4.93	88.0	4.92	88.2	4.91	88.4	4.90	88.6	4.89
	SK-150FM-UF			44.2	38,000	90.0	5.00	A重油	330-495	100-150	87.8	4.93	88.0	4.92	88.2	4.91	88.4	4.90	88.6	4.89
	SK-200FA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FNA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FNA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FNM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-200FNM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	87.8	6.49	88.0	6.48	88.2	6.46	88.4	6.45	88.6	6.43
	SK-300FA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FM-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FTA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FTM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FNA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FNA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FNM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
	SK-300FTNA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65
SK-300FTNM-DF	87.2	75,000	90.0	9.50	A重油	660-990	200-300	87.8	9.74	88.0	9.72	88.2	9.69	88.4	9.67	88.6	9.65			

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1997		1998		1999		2000		2001	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
F型	SK-400FA-UF	1992	2001	101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FM-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FTA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FTM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FNA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FNA-UF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FNM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FTNA-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-400FTNM-DF			101.2	87,000	90.0	11.00	A重油	990-1,320	300-400	87.8	11.30	88.0	11.27	88.2	11.24	88.4	11.22	88.6	11.19
	SK-500FA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FNA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FNA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FNM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-500FNM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	87.8	16.23	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08
	SK-600FA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FM-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FNA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FNA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
	SK-600FNM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30
SK-600FNM-UF	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	87.8	19.48	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30			



シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1998		1999		2000		2001			
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)			
G型	SK-400GM-DF	1998	2001	116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GM-UF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GTA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GTM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GNA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GNA-UF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GNM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GTNA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-400GTNM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.0	12.95	88.2	12.93	88.4	12.90	88.6	12.87		
	SK-500GA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GTA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GTM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GNA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GNA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GNM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GTNA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		
	SK-500GTNM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.0	16.19	88.2	16.16	88.4	16.12	88.6	16.08		

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	1998		1999		2000		2001			
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)			
G型	SK-600GA-UF	1998	2001	174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GM-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GTA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GTM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GNA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GNA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GNM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GTNA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-600GTNM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.0	19.43	88.2	19.39	88.4	19.34	88.6	19.30		
	SK-800GTM-DF			232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.0	25.91	88.2	25.85	88.4	25.79	88.6	25.73		
	SK-800GTNA-DF			232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.0	25.91	88.2	25.85	88.4	25.79	88.6	25.73		
	SK-800GTNM-DF			232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.0	25.91	88.2	25.85	88.4	25.79	88.6	25.73		

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	2002		2003		2004		2005		2006	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
K型	SK-100SA-DF	2002		24.8	21,300	90.0	2.80	灯油	165-330	50-100	88.6	2.89	88.8	2.88	89.0	2.88	89.2	2.87	89.4	2.86
	SK-110KA-DF			27.9	24,000	90.0	3.20	灯油	165-330	50-100	88.6	3.26	88.8	3.25	89.0	3.24	89.2	3.23	89.4	3.23
	SK-110KA-UF			27.9	24,000	90.0	3.20	灯油	165-330	50-100	88.6	3.26	88.8	3.25	89.0	3.24	89.2	3.23	89.4	3.23
	SK-150KA-DF			44.2	38,000	90.0	4.80	A重油	330-495	100-150	88.6	4.89	88.8	4.88	89.0	4.87	89.2	4.86	89.4	4.85
	SK-150KA-UF			44.2	38,000	90.0	4.80	A重油	330-495	100-150	88.6	4.89	88.8	4.88	89.0	4.87	89.2	4.86	89.4	4.85
	SK-150KM-DF			44.2	38,000	90.0	4.80	A重油	330-495	100-150	88.6	4.89	88.8	4.88	89.0	4.87	89.2	4.86	89.4	4.85
	SK-150KM-UF			44.2	38,000	90.0	4.80	A重油	330-495	100-150	88.6	4.89	88.8	4.88	89.0	4.87	89.2	4.86	89.4	4.85
	SK-200KA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KNA-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KNA-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KNM-DF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-200KNM-UF			58.1	50,000	90.0	6.40	A重油	495-660	150-200	88.6	6.50	88.8	6.49	89.0	6.47	89.2	6.46	89.4	6.44
	SK-300KA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KM-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KTA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KTM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KNA-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KNA-UF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
	SK-300KNM-DF			87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56
SK-300KTNA-DF		87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56		
SK-300KTNM-DF		87.2	75,000	90.0	9.50	A重油	660-990	200-300	88.6	9.65	88.8	9.63	89.0	9.61	89.2	9.59	89.4	9.56		

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	2002		2003		2004		2005		2006	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
K型	SK-400KA-UF	2002		116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KM-UF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KTA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KTM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KNA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KNA-UF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KNM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KTNA-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-400KTNM-DF			116.3	100,000	90.0	12.60	A重油	990-1,320	300-400	88.6	12.87	88.8	12.84	89.0	12.81	89.2	12.78	89.4	12.75
	SK-500KA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KTA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KTM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KNA-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KNA-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KNM-DF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94
	SK-500KNM-UF			145.3	125,000	90.0	15.80	A重油	1,320-1,650	400-500	88.6	16.08	88.8	16.05	89.0	16.01	89.2	15.98	89.4	15.94

シリーズ	型式	販売開始 (年)	販売終了 (年)	熱出力		熱効率 (%)	燃油量 (l/h)	燃料油	標準暖房面積		経年変化による熱効率、燃油量の試算値									
				(KW)	{kcal/h}				(㎡)	{坪}	2002		2003		2004		2005		2006	
								(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	(%)	(l/h)	
K型	SK-600KA-DF	2002		174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KM-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KTA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KTM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KNA-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KNA-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KNM-DF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-600KNM-UF			174.4	150,000	90.0	19.00	A重油	1,650-1,980	500-600	88.6	19.30	88.8	19.26	89.0	19.21	89.2	19.17	89.4	19.13
	SK-700KTA-DF			209.3	180,000	90.0	22.80	A重油	1,980-2,310	600-700	88.6	23.16	88.8	23.11	89.0	23.06	89.2	23.00	89.4	22.95
	SK-700KTM-DF			209.3	180,000	90.0	22.80	A重油	1,980-2,310	600-700	88.6	23.16	88.8	23.11	89.0	23.06	89.2	23.00	89.4	22.95
	SK-700KTNA-DF			209.3	180,000	90.0	22.80	A重油	1,980-2,310	600-700	88.6	23.16	88.8	23.11	89.0	23.06	89.2	23.00	89.4	22.95
	SK-700KTNM-DF			209.3	180,000	90.0	22.80	A重油	1,980-2,310	600-700	88.6	23.16	88.8	23.11	89.0	23.06	89.2	23.00	89.4	22.95
	SK-800KTA-DF			232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.6	25.73	88.8	25.68	89.0	25.62	89.2	25.56	89.4	25.50
	SK-800KTM-DF			232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.6	25.73	88.8	25.68	89.0	25.62	89.2	25.56	89.4	25.50
SK-800KTNA-DF	232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.6	25.73	88.8	25.68	89.0	25.62	89.2	25.56	89.4	25.50			
SK-800KTNM-DF	232.6	200,000	90.0	25.30	A重油	2,310-2,640	700-800	88.6	25.73	88.8	25.68	89.0	25.62	89.2	25.56	89.4	25.50			





