

2023年度

E型シリーズ 型式	販売開始 [年]	販売終了 [年]	熱出力		熱効率 [%]	燃油量 [L/h]	燃料油	標準暖房面積		経年劣化による熱効率、燃油量の試算値																															
			[kW]	[kcal/h]				[m3]	{坪}	1986年		1987年		1988年		1989年		1990年		1991年		1992年		1993年		1994年		1995年		1996年		1997年		1998年		1999年		2000年		2001年	
					(37年経過)		(36年経過)			(35年経過)		(34年経過)		(33年経過)		(32年経過)		(31年経過)		(30年経過)		(29年経過)		(28年経過)		(27年経過)		(26年経過)		(25年経過)		(24年経過)		(23年経過)		(22年経過)					
					[%]	[L/h]	[%]			[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	
SK-80E-DF	1986	2001	20.9	18,000	86.5%	2.50	灯油	99-265	30-80	79.1%	2.73	79.3%	2.73	79.5%	2.72	79.7%	2.71	79.9%	2.71	80.1%	2.70	80.3%	2.69	80.5%	2.69	80.7%	2.68	80.9%	2.67	81.1%	2.67	81.3%	2.66	81.5%	2.65	81.7%	2.65	81.9%	2.64	82.1%	2.63
SK-120E-DF	1986	2001	32.6	28,000	88.5%	3.80	灯油	265-395	80-120	81.1%	4.15	81.3%	4.14	81.5%	4.13	81.7%	4.12	81.9%	4.11	82.1%	4.10	82.3%	4.09	82.5%	4.08	82.7%	4.07	82.9%	4.06	83.1%	4.05	83.3%	4.04	83.5%	4.03	83.7%	4.02	83.9%	4.01	84.1%	4.00
SK-120E-UF			32.6	28,000	88.5%	3.80	灯油	265-395	80-120	81.1%	4.15	81.3%	4.14	81.5%	4.13	81.7%	4.12	81.9%	4.11	82.1%	4.10	82.3%	4.09	82.5%	4.08	82.7%	4.07	82.9%	4.06	83.1%	4.05	83.3%	4.04	83.5%	4.03	83.7%	4.02	83.9%	4.01	84.1%	4.00
SK-150E-DF	1986	2001	44.2	38,000	88.5%	4.90	A重油	395-495	120-150	81.1%	5.35	81.3%	5.33	81.5%	5.32	81.7%	5.31	81.9%	5.29	82.1%	5.28	82.3%	5.27	82.5%	5.26	82.7%	5.24	82.9%	5.23	83.1%	5.22	83.3%	5.21	83.5%	5.19	83.7%	5.18	83.9%	5.17	84.1%	5.16
SK-150E-UF			44.2	38,000	88.5%	4.90	A重油	395-495	120-150	81.1%	5.35	81.3%	5.33	81.5%	5.32	81.7%	5.31	81.9%	5.29	82.1%	5.28	82.3%	5.27	82.5%	5.26	82.7%	5.24	82.9%	5.23	83.1%	5.22	83.3%	5.21	83.5%	5.19	83.7%	5.18	83.9%	5.17	84.1%	5.16
SK-200E-DF	1986	2001	58.1	50,000	88.0%	6.50	A重油	495-660	150-200	80.6%	7.10	80.8%	7.08	81.0%	7.06	81.2%	7.04	81.4%	7.03	81.6%	7.01	81.8%	6.99	82.0%	6.98	82.2%	6.96	82.4%	6.94	82.6%	6.92	82.8%	6.91	83.0%	6.89	83.2%	6.88	83.4%	6.86	83.6%	6.84
SK-200E-UF			58.1	50,000	88.0%	6.50	A重油	495-660	150-200	80.6%	7.10	80.8%	7.08	81.0%	7.06	81.2%	7.04	81.4%	7.03	81.6%	7.01	81.8%	6.99	82.0%	6.98	82.2%	6.96	82.4%	6.94	82.6%	6.92	82.8%	6.91	83.0%	6.89	83.2%	6.88	83.4%	6.86	83.6%	6.84
SK-300E-DF	1986	2001	87.2	75,000	90.0%	9.60	A重油	660-990	200-300	82.6%	10.46	82.8%	10.43	83.0%	10.41	83.2%	10.38	83.4%	10.36	83.6%	10.33	83.8%	10.31	84.0%	10.29	84.2%	10.26	84.4%	10.24	84.6%	10.21	84.8%	10.19	85.0%	10.16	85.2%	10.14	85.4%	10.12	85.6%	10.09
SK-300E-UF			87.2	75,000	90.0%	9.60	A重油	660-990	200-300	82.6%	10.46	82.8%	10.43	83.0%	10.41	83.2%	10.38	83.4%	10.36	83.6%	10.33	83.8%	10.31	84.0%	10.29	84.2%	10.26	84.4%	10.24	84.6%	10.21	84.8%	10.19	85.0%	10.16	85.2%	10.14	85.4%	10.12	85.6%	10.09
SK-300ET-DF			87.2	75,000	90.0%	9.60	A重油	660-990	200-300	82.6%	10.46	82.8%	10.43	83.0%	10.41	83.2%	10.38	83.4%	10.36	83.6%	10.33	83.8%	10.31	84.0%	10.29	84.2%	10.26	84.4%	10.24	84.6%	10.21	84.8%	10.19	85.0%	10.16	85.2%	10.14	85.4%	10.12	85.6%	10.09
SK-400E-DF	1986	2001	101.2	87,000	90.0%	11.00	A重油	990-1,320	300-400	82.6%	11.99	82.8%	11.96	83.0%	11.93	83.2%	11.90	83.4%	11.87	83.6%	11.84	83.8%	11.81	84.0%	11.79	84.2%	11.76	84.4%	11.73	84.6%	11.70	84.8%	11.67	85.0%	11.65	85.2%	11.62	85.4%	11.59	85.6%	11.57
SK-400E-UF			101.2	87,000	90.0%	11.00	A重油	990-1,320	300-400	82.6%	11.99	82.8%	11.96	83.0%	11.93	83.2%	11.90	83.4%	11.87	83.6%	11.84	83.8%	11.81	84.0%	11.79	84.2%	11.76	84.4%	11.73	84.6%	11.70	84.8%	11.67	85.0%	11.65	85.2%	11.62	85.4%	11.59	85.6%	11.57
SK-400ET-UF			101.2	87,000	90.0%	11.00	A重油	990-1,320	300-400	82.6%	11.99	82.8%	11.96	83.0%	11.93	83.2%	11.90	83.4%	11.87	83.6%	11.84	83.8%	11.81	84.0%	11.79	84.2%	11.76	84.4%	11.73	84.6%	11.70	84.8%	11.67	85.0%	11.65	85.2%	11.62	85.4%	11.59	85.6%	11.57
SK-500E-DF	1986	2001	145.3	125,000	90.0%	15.90	A重油	1,320-1,650	400-500	82.6%	17.32	82.8%	17.28	83.0%	17.24	83.2%	17.20	83.4%	17.16	83.6%	17.12	83.8%	17.08	84.0%	17.04	84.2%	17.00	84.4%	16.95	84.6%	16.91	84.8%	16.88	85.0%	16.84	85.2%	16.80	85.4%	16.76	85.6%	16.72
SK-500E-UF			145.3	125,000	90.0%	15.90	A重油	1,320-1,650	400-500	82.6%	17.32	82.8%	17.28	83.0%	17.24	83.2%	17.20	83.4%	17.16	83.6%	17.12	83.8%	17.08	84.0%	17.04	84.2%	17.00	84.4%	16.95	84.6%	16.91	84.8%	16.88	85.0%	16.84	85.2%	16.80	85.4%	16.76	85.6%	16.72
SK-600E-DF	1986	2001	174.4	150,000	90.0%	19.00	A重油	1,650-1,980	500-600	82.6%	20.70	82.8%	20.65	83.0%	20.60	83.2%	20.55	83.4%	20.50	83.6%	20.45	83.8%	20.41	84.0%	20.36	84.2%	20.31	84.4%	20.26	84.6%	20.21	84.8%	20.17	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600E-UF			174.4	150,000	90.0%	19.00	A重油	1,650-1,980	500-600	82.6%	20.70	82.8%	20.65	83.0%	20.60	83.2%	20.55	83.4%	20.50	83.6%	20.45	83.8%	20.41	84.0%	20.36	84.2%	20.31	84.4%	20.26	84.6%	20.21	84.8%	20.17	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98





2023年度

G型シリーズ 型式	販売開始 [年]	販売終了 [年]	熱出力		熱効率 [%]	燃油量 [L/h]	燃料油	標準暖房面積		経年劣化による熱効率、燃油量の試算値							
			[kW]	{kcal/h}				[m3]	{坪}	1998年		1999年		2000年		2001年	
										(25年経過)		(24年経過)		(23年経過)		(22年経過)	
			[%]	[L/h]	[%]	[L/h]	[%]	[L/h]	[%]	[L/h]							
SK-400GA-DF	1998	2001	116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GA-UF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GM-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GM-UF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GNA-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GNA-UF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GNM-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GNM-UF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GTA-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GTM-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GTNA-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-400GTNM-DF			116.3	100,000	90.0%	12.60	A重油	990-1,320	300-400	85.0%	13.34	85.2%	13.31	85.4%	13.28	85.6%	13.25
SK-500GA-DF	1998	2001	145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GA-UF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GM-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GM-UF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GNA-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GNA-UF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GNM-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GNM-UF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GTA-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GTM-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GTNA-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-500GTNM-DF			145.3	125,000	90.0%	15.80	A重油	1,320-1,650	400-500	85.0%	16.73	85.2%	16.69	85.4%	16.65	85.6%	16.61
SK-600GA-DF	1998	2001	174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GA-UF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GM-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GM-UF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GNA-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GNA-UF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GNM-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GNM-UF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GTA-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GTM-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98

SK-600GTNA-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-600GTNM-DF			174.4	150,000	90.0%	19.00	A重油	1,651-1,980	500-600	85.0%	20.12	85.2%	20.07	85.4%	20.02	85.6%	19.98
SK-800GTA-DF	1998	2001	232.6	200,000	90.0%	25.30	A重油	2,310-2,640	700-800	85.0%	26.79	85.2%	26.73	85.4%	26.66	85.6%	26.60
SK-800GTM-DF			232.6	200,000	90.0%	25.30	A重油	2,310-2,640	700-800	85.0%	26.79	85.2%	26.73	85.4%	26.66	85.6%	26.60
SK-800GTNA-DF			232.6	200,000	90.0%	25.30	A重油	2,310-2,640	700-800	85.0%	26.79	85.2%	26.73	85.4%	26.66	85.6%	26.60
SK-800GTNM-DF			232.6	200,000	90.0%	25.30	A重油	2,310-2,640	700-800	85.0%	26.79	85.2%	26.73	85.4%	26.66	85.6%	26.60

